Aquaculture, 119 (1994) 437–439
Elsevier Science B.V., Amsterdam

Contents of *Aquaculture*, Volume 119

VOL. 119 NO. 1 — 1 JANUARY 1994

Diseases, Parasites and Predators

Temperature-dependent absorption and elimination of flumequine in rainbow trout (*Oncorhynchus mykiss* Walbaum) in fresh water
S. Sohlberg, A. Aulie and N.E. Søli (Oslo, Norway) 1

Genetics and Breeding

Production of viable gynogens without chromosome duplication in the spinous loach *Cobitis biwae*
T. Kusunoki, K. Arai and R. Suzuki (Higashi-hiroshima, Japan) 11

Husbandry and Management

Use of a probiotic for the culture of larvae of the Pacific oyster (*Crassostrea gigas* Thunberg)
P.A. Douillet and C.J. Langdon (Newport, OR, USA) 25

Nutrition

Growth and survival of fry of African catfish species, *Clarias gariepinus* Burchell, *Heterobranchus bidorsalis* Geoffery and Heteroclarias reared on *Moina dubia* in comparison with other first feed sources
A.A. Adeyemo, G.A. Oladosu and A.O. Ayinla (Port Harcourt, Nigeria) 41

Influence of composition of *Brachionus plicatilis* and *Artemia* on growth of larval sablefish (*Anoplopoma fimbria* Pallas)
J.N.C. Whyte, W.C. Clarke, N.G. Ginther, J.O.T. Jensen and L.D. Townsend (Nanaimo, B.C., Canada) 47

Factors affecting the proximate composition of cultured fishes with emphasis on salmonids
K.D. Shearer (Seattle, WA, USA) 63

Physiology and Endocrinology

Optimal staining of lipids in bivalve larvae with Nile Red
L.L. Castell and R. Mann (Gloucester Point, VA, USA) 89

Guide for Authors 101

Announcement from the Publisher 107

VOL. 119 NOS. 2/3 — 15 JANUARY 1994

Diseases, Parasites and Predators

Description and evaluation of a new surveillance programme for drug use in fish farming in Norway
M. Bangen, K. Grave (Oslo, Norway), R. Nordmo (Alhusstrand, Norway) and N.E. Søli (Oslo, Norway) 109

Genetics and Breeding

Direct comparison of six methods to induce triploidy in bivalves
J. Scarpa (Mie, Japan), J.E. Toro (Valdivia, Chile) and K.T. Wada (Mie, Japan) 119

Genetic variation in body weight and flesh colour of the coho salmon (*Oncorhynchus kisutch*) in British Columbia
R.E. Withler and T.D. Beacham (Nanaimo, B.C., Canada) 135

Husbandry and Management

Hatchery production for the venerid clam *Katelysia rhytiphora* (Lamy) and the Sydney cockle *Anadara trapezia* (Deshayes)
J.A. Nell, W.A. O'Connor, M.P. Heasman and L.J. Goard (Salamander Bay, N.S.W., Australia) 149

Effects of egg disinfection on yolk sac and first feeding stages of halibut (*Hippoglossus hippoglossus L.*) larvae
T. Harboe, I. Huse (Storebø, Norway) and G. Øie (Trondheim, Norway) 157

The paradox of using background phytoplankton during the larval culture of striped mullet, *Mugil cephalus* L.
C.S. Tamaru (Waimanalo, HI, USA), R. Murashige (Kailua-Kona, HI, USA) and C.-S. Lee (Waimanalo, HI, USA) 167

Available algal biomass in tropical brackish water artificial habitats
A.A. Konan-Brou and D. Guiral (Abidjan, Ivory Coast) 175

Experimental methodology in aquaculture: modification of the feeding rate of the gilthead sea bream *Sparus aurata* at a self-feeder after weighing
M. Kentouri (Heraklion, Crete, Greece), L. León, L. Tort (Barcelona, Spain) and P. Divanach (Heraklion, Crete, Greece) 191

Raceway density and water flow as factors affecting spring chinook salmon (*Oncorhynchus tshawytscha*) during rearing and after release
J.L. Banks (Longview, WA, USA) 201

An index of biotic integrity to assess biological impacts of salmonid farm effluents on receiving waters
T. Oberdorff (Yvelines, France) and J.P. Porcher (Cesson-Sévigné, France) 219

Nutrition

The influence of three algal filtrates on the grazing rate of larval oysters (*Crassostrea gigas*), determined by fluorescent microspheres
P.A. Thompson, D.J.S. Montagnes, B.A. Shaw and P.J. Harrison (Vancouver, B.C., Canada) 237

Relationships between the weight and chemical composition of exuvia and whole body of the black tiger prawn, *Penaeus monodon*
H.Z. Sarac (Bribie Island, Qld., Australia), N.P. McMeniman (Brisbane, Qld., Australia), H. Thaggard, M. Gravel, S. Tabrett and J. Saunders (Bribie Island, Qld., Australia) 249

Dietary zinc requirement of fingerling *Oreochromis niloticus*
A.E. Eid and S.I. Ghonim (Ismailia, Egypt) 259

Optimal dietary protein level for the growth of juvenile grouper, *Epinephelus malabaricus*, fed semipurified diets
H.-Y. Chen and J.-C. Tsai (Kaohsiung, Taiwan, ROC) 265

Biochemical composition and fatty acid content of fertilized eggs, yolk sac stage larvae and first-feeding larvae of the Senegal sole (*Solea senegalensis* Kaup)
R. Vázquez (El Puerto de Santa María Cádiz, Spain), S. González, A. Rodríguez and G. Mourente (Puerto Real Cádiz, Spain) 273

Dietary lipid sources influence responses of channel catfish (*Ictalurus punctatus*) to challenge with the pathogen *Edwardsiella ictaluri*
D.M. Fracalossi and R.T. Lovell (Auburn, AL, USA) 287

Comparison of processing yield and nutrient composition of cultured Nile tilapia (*Oreochromis niloticus*) and channel catfish (*Ictalurus punctatus*)
S. Clement and R.T. Lovell (Auburn, AL, USA) 299

Announcement from the Publisher 311

VOL. 119 NO. 4 — 1 FEBRUARY 1994

Genetics and Breeding
Electroporation of salmon sperm with plasmid DNA: evidence of enhanced sperm/DNA association
J.E. Symonds, S.P. Walker and F.Y.T. Sin (Christchurch, New Zealand) 313

Husbandry and Management
Socio-economic and cultural factors in aquaculture development: a case study from Nigeria
D.H.L. Thomas (Gland, Switzerland) 329
Relations among environmental conditions and growth in the tropical scallop *Euvola* (*Pecten*) *ziczac* (L.) in suspended culture in the Golfo de Cariaco, Venezuela
C.J. Lodeiros and J.H. Himmelman (Laval, Québec, Canadac) 345

Nutrition
Influence of dietary lipid sources on fecundity, egg hatchability and fatty acid composition of Chinese prawn (*Penaeus chinensis*) broodstock
X.L. Xu, W.J. Ji (Qingdao, China), J.D. Castell and R.K. O'Dor (Halifax, N.S., Canada) ... 359

Physiology and Endocrinology
Abnormal swimbladder development and lordosis in sea bass (*Dicentrarchus labrax*) and sea bream (*Sparus auratus*)
B. Chatain (Palavas les Flots, France) 371
Physiological effects of simulated high-density transport of Atlantic cod (*Gadus morhua*)
M. Staurnes, T. Sigholt, H.P. Pedersen and T. Rustad (Trondheim, Norway) 381
Spawning induction in common carp (*Cyprinus carpio*) using pituitary extract or GnRH superactive analogue combined with metoclopramide: analysis of hormone profile, progress of oocyte maturation and dependence on temperature
S. Drori, M. Ofir, B. Levavi-Sivan and Z. Yaron (Tel-Aviv, Israel) 393
Induction of sterility in coho salmon (*Oncorhynchus kisutch*) by androgen immersion before first feeding
F. Piferrer (West Vancouver, BC, Canada), M. Carrillo, S. Zanuy (Ribera de Cabanes, Castellón, Spain), I.I. Solar and E.M. Donaldson (West Vancouver, BC, Canada) 409

Short Communication
The vitamin-B_{12}-producing bacteria in the water and sediment of a carp culture pond
H. Sugita, A. Kuruma, C. Hirato (Tokyo, Japan), T. Ohkoshi, R. Okada (Saitama, Japan) and Y. Deguchi (Tokyo, Japan) 425

Author Index 433